



B. P. PODDAR INSTITUTE OF MANAGEMENT & TECHNOLOGY

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

LABORATORY NAME: DONALD K KNUTH LAB(C101)

ACADEMIC YEAR: 2018-2019 ODD SEMESTER

LIST OF EXPERIMENTS

DATABASE MANAGEMENT SYSTEM LAB (EC795C)

TOPIC	LIST OF EXPERIMENTS	CO	PO/ PSO																																																													
Using SQL Create table, Insert values and Use predicates with select and project	1	CO1 CO2	PO1 PO2 PO3 PO4 PO5 PO8 PO9 PO10 PSO1																																																													
	a) Create the following table : STUDENT																																																															
	<table border="1"> <thead> <tr> <th>Column Name</th> <th>Data Type</th> <th>Size</th> <th>Constraints</th> </tr> </thead> <tbody> <tr> <td>RegNo</td> <td>Varchar2</td> <td>6</td> <td>Not null</td> </tr> <tr> <td>RollNo</td> <td>Number</td> <td>6</td> <td>Not null</td> </tr> <tr> <td>Name</td> <td>Varchar2</td> <td>10</td> <td>Not null</td> </tr> <tr> <td>Address</td> <td>Varchar2</td> <td>15</td> <td>Not null</td> </tr> <tr> <td>PhoneNo</td> <td>Number</td> <td>10</td> <td></td> </tr> <tr> <td>YearOfAdm</td> <td>Number</td> <td>4</td> <td>Not null</td> </tr> <tr> <td>DeptCode</td> <td>Varchar2</td> <td>4</td> <td>Not null</td> </tr> <tr> <td>Year</td> <td>Number</td> <td>1</td> <td>Not null</td> </tr> <tr> <td>BirthDate</td> <td>Date</td> <td></td> <td>Not null</td> </tr> </tbody> </table>			Column Name	Data Type	Size	Constraints	RegNo	Varchar2	6	Not null	RollNo	Number	6	Not null	Name	Varchar2	10	Not null	Address	Varchar2	15	Not null	PhoneNo	Number	10		YearOfAdm	Number	4	Not null	DeptCode	Varchar2	4	Not null	Year	Number	1	Not null	BirthDate	Date		Not null																					
	Column Name			Data Type	Size	Constraints																																																										
	RegNo			Varchar2	6	Not null																																																										
	RollNo			Number	6	Not null																																																										
	Name			Varchar2	10	Not null																																																										
	Address			Varchar2	15	Not null																																																										
	PhoneNo			Number	10																																																											
	YearOfAdm			Number	4	Not null																																																										
DeptCode	Varchar2	4	Not null																																																													
Year	Number	1	Not null																																																													
BirthDate	Date		Not null																																																													
b) Insert the following data in the student table.																																																																
<table border="1"> <thead> <tr> <th>Reg No</th> <th>Roll No</th> <th>Name</th> <th>Address</th> <th>Phone No</th> <th>YearOf Adm</th> <th>DeptCode</th> <th>Year</th> <th>Birth Date</th> </tr> </thead> <tbody> <tr> <td>012301</td> <td>123001</td> <td>Ashish</td> <td>Jadavpur</td> <td>24761892</td> <td>2003</td> <td>CSE</td> <td>3</td> <td>01-Jun-81</td> </tr> <tr> <td>012315</td> <td>123015</td> <td>Kamal</td> <td>Kasba</td> <td>24424987</td> <td>2003</td> <td>CSE</td> <td>3</td> <td>19-Sep-81</td> </tr> <tr> <td>012424</td> <td>124024</td> <td>Ipsita</td> <td>Kaikhali</td> <td>25739608</td> <td>2004</td> <td>CSE</td> <td>2</td> <td>15-Aug-82</td> </tr> <tr> <td>012250</td> <td>122050</td> <td>Anita</td> <td>Hooghly</td> <td>36719695</td> <td>2002</td> <td>IT</td> <td>4</td> <td>22-Dec-80</td> </tr> <tr> <td>012344</td> <td>123044</td> <td>Biplab</td> <td>Howrah</td> <td></td> <td>2003</td> <td>IT</td> <td>3</td> <td>03-Jan-82</td> </tr> <tr> <td>012357</td> <td>123057</td> <td>Samik</td> <td>Barasat</td> <td>25426742</td> <td>2003</td> <td>IT</td> <td>3</td> <td>15-Jul-81</td> </tr> </tbody> </table>		Reg No	Roll No	Name	Address	Phone No	YearOf Adm	DeptCode	Year	Birth Date	012301	123001	Ashish	Jadavpur	24761892	2003	CSE	3	01-Jun-81	012315	123015	Kamal	Kasba	24424987	2003	CSE	3	19-Sep-81	012424	124024	Ipsita	Kaikhali	25739608	2004	CSE	2	15-Aug-82	012250	122050	Anita	Hooghly	36719695	2002	IT	4	22-Dec-80	012344	123044	Biplab	Howrah		2003	IT	3	03-Jan-82	012357	123057	Samik	Barasat	25426742	2003	IT	3	15-Jul-81
Reg No	Roll No	Name	Address	Phone No	YearOf Adm	DeptCode	Year	Birth Date																																																								
012301	123001	Ashish	Jadavpur	24761892	2003	CSE	3	01-Jun-81																																																								
012315	123015	Kamal	Kasba	24424987	2003	CSE	3	19-Sep-81																																																								
012424	124024	Ipsita	Kaikhali	25739608	2004	CSE	2	15-Aug-82																																																								
012250	122050	Anita	Hooghly	36719695	2002	IT	4	22-Dec-80																																																								
012344	123044	Biplab	Howrah		2003	IT	3	03-Jan-82																																																								
012357	123057	Samik	Barasat	25426742	2003	IT	3	15-Jul-81																																																								

TOPIC	LIST OF EXPERIMENTS									CO	PO/ PSO																
	0124 19	1240 19	Srija	Garia	24755 655	2004	EE	2	25- Oct-82																		
	0124 27	1240 27	Saiba 1	Garia	24753 306	2004	ECE	2	22- Mar- 83																		
	0122 36	1220 36	Santa nu	DumD um		2002	ECE	4	11- Dec- 80																		
	0123 49	1230 49	Gita	Kasba	24428 682	2003	MCA	3	14- Apr- 81																		
Use of DML - select rows, delete rows and update table operations	<p>c) Display all records d) Display name, address and year of admission of each student e) List the name and year of students who are in Computer Science. f) List the names and departments of students belonging to 3rd year. g) Display names of students with 'a' as the second letter in their names. h) Display names of students in alphabetical order. i) Display names and addresses of students who took admission in the year 2004. j) List the names of students who do not have a phone number.</p>									CO1 CO2	PO1 PO2 PO3 PO4 PO5 PO8 PO9 PO10 PSO1																
Use of DDL - Alter Table Statement, Check Constraints, Foreign	<p>Note : Tables created previously in lab exercises may be used if required</p> <p>3.</p> <p>a. Create table DEPARTMENT</p> <table border="1" data-bbox="337 1640 1281 1808"> <thead> <tr> <th>Column Name</th> <th>Data Type</th> <th>Size</th> <th>Constraints</th> </tr> </thead> <tbody> <tr> <td>DeptCode</td> <td>Varchar2</td> <td>4</td> <td>Not null, Primary key</td> </tr> <tr> <td>DeptName</td> <td>Varchar2</td> <td>15</td> <td>Not null</td> </tr> <tr> <td>HOD</td> <td>Varchar2</td> <td>4</td> <td>Not null</td> </tr> </tbody> </table> <p style="text-align: center;">FACULTY</p>									Column Name	Data Type	Size	Constraints	DeptCode	Varchar2	4	Not null, Primary key	DeptName	Varchar2	15	Not null	HOD	Varchar2	4	Not null	CO1 CO2	PO1 PO2 PO3 PO4 PO5 PO8 PO9
Column Name	Data Type	Size	Constraints																								
DeptCode	Varchar2	4	Not null, Primary key																								
DeptName	Varchar2	15	Not null																								
HOD	Varchar2	4	Not null																								

TOPIC	LIST OF EXPERIMENTS				CO	PO/ PSO
Key constraints in SQL	Column Name	Data Type	Size	Constraints		PO10
	FacultyCode	Varchar2	4	Not null, Primary key, Starts with 'F'		PSO1
	FacultyName	Varchar2	15	Not null		PSO2
	DateOfJoin	Date		Not null		
	DeptCode	Varchar2	4	Must be either CSE,IT, CA, CHEM, MTHS, PHYS, HUM, BBA		
	b. Insert appropriate values in the above table. c. Add constraint : DeptCode of Faculty is foreign key and references DeptCode in Department d. Find the names of faculties of CSE Department. e. Find the number of faculties in the Computer application department f. Show the names of the heads of departments with department name. g. Find the number of faculties who joined in August. h. Add an extra attribute to the faculty table - Salary Number(8,2) i. Insert values into the corresponding field Salary Number(8,2). j. Find the name and salary of the faculty who earn more than 8000. k. Find the name, department of the faculties who earn between 8000 and 12000.					
Join Operations Cartesian Product, Natural Join, Outer Join	Note : Tables created previously in lab exercises may be used if required				CO1 CO2	PO1
	4.					PO2
	a. Create table SUBJECT and insert appropriate values.					PO3
	Column Name	Data Type	Size	Constraints		PO4
	SubjectCode	Varchar2	4	Not null, Primary key		PO5
SubjectName	Varchar2	15	Not null	PO8		
Faculty	Varchar2	4	Foreign key references FacultyCode of table FACULTY	PO9		
	b. Find the number of faculties in each department with their department name. c. Increment the salary of each faculty by Rs 500. d. Find the names of students and faculties whose name start with 'S'. e. Find the students who stay in Kaikhali f. Find the names of faculties who take classes in the IT department. g. Find the names of all faculties whose HOD is given.				PO10 PSO1 PSO2	
Queries using	Note : Tables created previously in lab exercises may be used if required				CO1 CO2	PO1
	5.					PO2
	a. Add extra attribute to the Subject table - department varchar2 (4), year					

TOPIC	LIST OF EXPERIMENTS	CO	PO/ PSO
aggregate functions (count,sum, avg,max,mi n) and group by, having	varchar2 (1) b. Insert values into the fields - department, year. c. Find the maximum salary among the faculties. d. Find the names of faculties who earn more than the average of all faculties. e. List the names of faculties of CSE department who earn more than the average salary of the department. f. Find the maximum and minimum salaries among faculties. g. Find the second maximum salary among all faculties. h. Find the names of faculties who are not the HOD's of any department. i. Find the names of subjects for students of CSE 3 rd year.		PO3 PO4 PO5 PO8 PO9 PO10 PSO1 PSO2
Creation and Dropping of Views	Note : Tables created previously in lab exercises may be used if required 6. a. Name the departments having highest number of faculties and display the names of faculties b. Create a view on the STUDENT table named V_STD selecting all the columns. Run the following queries on the view. i. Display all data from the view. ii. Insert a new row into the view with the following data – 012363 123011 Bishakh Salt Lake 23371987 2005 IT iii. Display data from student table to verify that the row has been inserted into the Table. iv. Update the address of Bishakh to “SectorV” & verify the change in the table. c. Create a view on student table snamed V_STD_2 selecting the columns – RegNo, Name, Year, Deptcode. i. Display data from the view. ii. Try to insert data into table through view. iii. Update the Deptcode of ‘Kamal’ to ‘IT’ through view. iv. Delete records of students of 4 th year through view. d. Create a view named V_FACULTY consisting of columns FacultyName, DeptCode from FACULTY table and HOD from Department table. i. Display data from V_FACULTY ii. Try to insert a new row into this view V_FACULTY. iii. Try to update the DeptCode of a CSE faculty to IT.	CO1 CO2	PO1 PO2 PO3 PO4 PO5 PO8 PO9 PO10 PSO1 PSO2
Nested Queries using any, all in, exist,	Note : Tables created previously in lab exercises may be used if required 7. Considering - Branch Schema <branch-name, branch-city, assets>	CO3	PO1 PO2 PO3

TOPIC	LIST OF EXPERIMENTS	CO	PO/ PSO																																																																																
not exists, unique, intersect constraints	<p data-bbox="430 264 1235 428"> Customer Schema <customer-name, customer-street, customer-city> Loan Schema <loan-number, branch-name, amount> Borrower Schema <customer-name, loan-number> Account Scheme <account-number, branch-name, balance> Depositor Scheme <customer-name, account-number> </p> <p data-bbox="334 464 561 491">BRANCH TABLE</p> <table border="1" data-bbox="337 520 1268 877"> <thead> <tr> <th>Branch Name</th> <th>Branch City</th> <th>Assets</th> </tr> </thead> <tbody> <tr><td>Brighton</td><td>Brooklyn</td><td>7100000</td></tr> <tr><td>Downtown</td><td>Brooklyn</td><td>9000000</td></tr> <tr><td>Mianus</td><td>Horseneck</td><td>400000</td></tr> <tr><td>North Town</td><td>Rye</td><td>3700000</td></tr> <tr><td>Perryridge</td><td>Horseneck</td><td>1700000</td></tr> <tr><td>Pownal</td><td>Bennington</td><td>300000</td></tr> <tr><td>Redwood</td><td>Palo Alto</td><td>2100000</td></tr> <tr><td>Round Hill</td><td>Horseneck</td><td>800000</td></tr> </tbody> </table> <p data-bbox="334 915 597 942">CUSTOMER TABLE</p> <table border="1" data-bbox="337 978 1261 1499"> <thead> <tr> <th>Customer Name</th> <th>Customer Street</th> <th>Customer City</th> </tr> </thead> <tbody> <tr><td>Adams</td><td>Spring</td><td>Pittsfield</td></tr> <tr><td>Brooks</td><td>Senator</td><td>Brooklyn</td></tr> <tr><td>Curry</td><td>North</td><td>Rye</td></tr> <tr><td>Glenn</td><td>Sand Hill</td><td>Woodside</td></tr> <tr><td>Green</td><td>Walnut</td><td>Stamford</td></tr> <tr><td>Hayes</td><td>Main</td><td>Harrison</td></tr> <tr><td>Johnson</td><td>Alma</td><td>Palo Alto</td></tr> <tr><td>Jones</td><td>Main</td><td>Harrison</td></tr> <tr><td>Lindsay</td><td>Park</td><td>Pittsfield</td></tr> <tr><td>Smith</td><td>North</td><td>Rye</td></tr> <tr><td>Turner</td><td>Putnam</td><td>Stamford</td></tr> <tr><td>Williams</td><td>Nassau</td><td>Princeton</td></tr> </tbody> </table> <p data-bbox="334 1537 605 1564">BORROWER TABLE</p> <table border="1" data-bbox="337 1600 1261 1892"> <thead> <tr> <th>Customer Name</th> <th>Loan Number</th> </tr> </thead> <tbody> <tr><td>Adams</td><td>l-16</td></tr> <tr><td>Curry</td><td>L-93</td></tr> <tr><td>Hayes</td><td>L-15</td></tr> <tr><td>Jackson</td><td>L-14</td></tr> <tr><td>Jones</td><td>L-17</td></tr> <tr><td>Smith</td><td>L-11</td></tr> </tbody> </table>	Branch Name	Branch City	Assets	Brighton	Brooklyn	7100000	Downtown	Brooklyn	9000000	Mianus	Horseneck	400000	North Town	Rye	3700000	Perryridge	Horseneck	1700000	Pownal	Bennington	300000	Redwood	Palo Alto	2100000	Round Hill	Horseneck	800000	Customer Name	Customer Street	Customer City	Adams	Spring	Pittsfield	Brooks	Senator	Brooklyn	Curry	North	Rye	Glenn	Sand Hill	Woodside	Green	Walnut	Stamford	Hayes	Main	Harrison	Johnson	Alma	Palo Alto	Jones	Main	Harrison	Lindsay	Park	Pittsfield	Smith	North	Rye	Turner	Putnam	Stamford	Williams	Nassau	Princeton	Customer Name	Loan Number	Adams	l-16	Curry	L-93	Hayes	L-15	Jackson	L-14	Jones	L-17	Smith	L-11		PO4 PO5 PO8 PO9 PO10 PSO1 PSO2
Branch Name	Branch City	Assets																																																																																	
Brighton	Brooklyn	7100000																																																																																	
Downtown	Brooklyn	9000000																																																																																	
Mianus	Horseneck	400000																																																																																	
North Town	Rye	3700000																																																																																	
Perryridge	Horseneck	1700000																																																																																	
Pownal	Bennington	300000																																																																																	
Redwood	Palo Alto	2100000																																																																																	
Round Hill	Horseneck	800000																																																																																	
Customer Name	Customer Street	Customer City																																																																																	
Adams	Spring	Pittsfield																																																																																	
Brooks	Senator	Brooklyn																																																																																	
Curry	North	Rye																																																																																	
Glenn	Sand Hill	Woodside																																																																																	
Green	Walnut	Stamford																																																																																	
Hayes	Main	Harrison																																																																																	
Johnson	Alma	Palo Alto																																																																																	
Jones	Main	Harrison																																																																																	
Lindsay	Park	Pittsfield																																																																																	
Smith	North	Rye																																																																																	
Turner	Putnam	Stamford																																																																																	
Williams	Nassau	Princeton																																																																																	
Customer Name	Loan Number																																																																																		
Adams	l-16																																																																																		
Curry	L-93																																																																																		
Hayes	L-15																																																																																		
Jackson	L-14																																																																																		
Jones	L-17																																																																																		
Smith	L-11																																																																																		

TOPIC	LIST OF EXPERIMENTS	CO	PO/ PSO																												
	<table border="1" data-bbox="339 264 1263 348"> <tr> <td data-bbox="339 264 802 302">Smith</td> <td data-bbox="802 264 1263 302">L-23</td> </tr> <tr> <td data-bbox="339 302 802 348">Williams</td> <td data-bbox="802 302 1263 348">L-17</td> </tr> </table> <p data-bbox="339 384 581 415">ACCOUNT TABLE</p> <table border="1" data-bbox="339 449 1256 768"> <thead> <tr> <th data-bbox="339 449 651 487">Account Number</th> <th data-bbox="651 449 954 487">Branch Name</th> <th data-bbox="954 449 1256 487">Balance</th> </tr> </thead> <tbody> <tr> <td data-bbox="339 487 651 525">A-101</td> <td data-bbox="651 487 954 525">Downtown</td> <td data-bbox="954 487 1256 525">500</td> </tr> <tr> <td data-bbox="339 525 651 562">A-102</td> <td data-bbox="651 525 954 562">Perryridge</td> <td data-bbox="954 525 1256 562">400</td> </tr> <tr> <td data-bbox="339 562 651 600">A-201</td> <td data-bbox="651 562 954 600">Brighton</td> <td data-bbox="954 562 1256 600">900</td> </tr> <tr> <td data-bbox="339 600 651 638">A-215</td> <td data-bbox="651 600 954 638">Mianus</td> <td data-bbox="954 600 1256 638">700</td> </tr> <tr> <td data-bbox="339 638 651 676">A-217</td> <td data-bbox="651 638 954 676">Brighton</td> <td data-bbox="954 638 1256 676">750</td> </tr> <tr> <td data-bbox="339 676 651 714">A-222</td> <td data-bbox="651 676 954 714">Redwood</td> <td data-bbox="954 676 1256 714">700</td> </tr> <tr> <td data-bbox="339 714 651 768">A-305</td> <td data-bbox="651 714 954 768">Round Hill</td> <td data-bbox="954 714 1256 768">350</td> </tr> </tbody> </table> <ol data-bbox="383 804 1252 1707" style="list-style-type: none"> To find all customers having a loan, an account or both at the bank, without duplicates. To find all customers having a loan, an account or both at the bank, with duplicates. To find all customers having both a loan and an account at the bank, without duplicates. To find all customers having a loan, an account or both at the bank, with duplicates. To find all customers who have an account but no loan at the bank, without duplicates. To find all customers who have an account but no loan at the bank, with duplicates. Find the number of depositors for each branch where average account balance is more than Rs 1200. Find all customers who have both an account and a loan at the Perryridge branch. Find the names of all branches that have assets greater than that of each branch located in Brooklyn. Find all customers who have an account at all the branches located in Brooklyn. Find all customers who have at most one account at the Perryridge branch. Find all customers who have at least two accounts at the Perryridge branch. Find the all customers who have an account but no loan at the bank. Find the all customers who have either an account or a loan (but not both) at the bank. 	Smith	L-23	Williams	L-17	Account Number	Branch Name	Balance	A-101	Downtown	500	A-102	Perryridge	400	A-201	Brighton	900	A-215	Mianus	700	A-217	Brighton	750	A-222	Redwood	700	A-305	Round Hill	350		
Smith	L-23																														
Williams	L-17																														
Account Number	Branch Name	Balance																													
A-101	Downtown	500																													
A-102	Perryridge	400																													
A-201	Brighton	900																													
A-215	Mianus	700																													
A-217	Brighton	750																													
A-222	Redwood	700																													
A-305	Round Hill	350																													
DDL DCL TCL Commands	<p data-bbox="339 1713 1187 1772">Note : Tables created previously in lab exercises may be used if required 8.</p> <p data-bbox="339 1772 1256 1831">Consider the following tables namely “DEPARTMENTS” & “EMPLOYEES” Their schemas are as follows -</p> <p data-bbox="399 1831 1040 1873">Departments (dept_no , dept_name , dept_location);</p>	CO3	PO1 PO2 PO3																												

TOPIC	LIST OF EXPERIMENTS	CO	PO/ PSO
	<p>Employees (emp_id , emp_name , emp_salary);</p> <ol style="list-style-type: none"> a. Develop a query to grant all privileges of employees table into departments table b. Develop a query to grant some privileges of employees table into departments table c. Develop a query to revoke all privileges of employees table from departments table d. Develop a query to revoke some privileges of employees table from departments table e. Write a query to implement the save point f. Write a query to implement the rollback g. Write a query to implement the commit 		PO4 PO5 PO8 PO9 PO10 PSO1 PSO2
PL/Sql Basic	9. <ol style="list-style-type: none"> a. Write a PL/SQL code, EX_INVNO.SQL, block for inverting a number using all forms of loops. b. Write a PL/SQL code, EX_SUMNO.SQL that prints the sum of 'n' natural numbers. c. Write a PL/SQL program to print all the prime numbers between 100 and 400 d. Write a PL/SQL program to print n terms of fibonacci series. e. Write a PL/SQL program to calculate HCF of two numbers. f. Write a PL/SQL code, EX_AREA.SQL, of block to calculate the area of the circle for the values of radius varying from 3 to 7. Store the radius and the corresponding values of calculated area in the table AREA_VALUES. 	CO4	PO1 PO2 PO3 PO4 PO5 PO8 PO9 PO10 PSO1 PSO2
Procedures and cursors using PL/SQL	10. <ol style="list-style-type: none"> a. Create a PL/SQL program using cursors, to retrieve first tuple from the department relation. b. (use table dept(dno, dname, loc)) c. Create a PL/SQL program using cursors, to retrieve each tuple from the department relation. d. (use table dept(dno, dname, loc)) e. Create a PL/SQL program using cursors, to display the number, name, salary of the three highest paid employees. f. (use table emp(empno, ename,sal)) g. Create a PL/SQL program using cursors, to delete the employees whose salary is more than 3000. h. Create a PL/SQL program using cursors, to update the salary of each employee by the avg salary if their salary is less than avg salary. i. Create a PL/SQL program using cursors, to insert into a table, NEWEMP, the record of ALL MANAGERS. Also DISPLAY on the screen the NO, NAME, JOIN_DATE. Handle any user defined exceptions. j. (use table emp(emp_no, emp_name, join_date, desig)) 	CO4 CO5	PO1 PO2 PO3 PO4 PO5 PO8 PO9 PO10 PSO1 PSO2

TOPIC	LIST OF EXPERIMENTS	CO	PO/ PSO
Additional Experiments			
Creation and usage of trigger	<p>Note : Tables created previously in lab exercises may be used if required 11.</p> <p>Considering -</p> <p style="padding-left: 40px;">Empa Schema<id number, name, dname, age, income, expence, savings></p> <p style="padding-left: 40px;">Emp Schema<institute name, employee id, salary></p> <p style="padding-left: 40px;">Sal <institute name, total employee, total salary></p> <ol style="list-style-type: none"> a. For every insert or delete or update in Empa table create trigger to display the message TABLE IS INSERTED or TABLE IS DELETED or TABLE IS UPDATED b. Define trigger to force all department names to uppercise. c. Create a Trigger to check the age valid or not using message after every insert or delete or update in Trig table d. Create a Trigger to check the age valid and Raise appropriate error code and error message. e. A trigger restricting updates that allows changes to Empa records only on Mondays through Fridays, and only during the hours of 8:00am to 5:00pm. f. Create a Trigger for Emp table it will update another table Sal while inserting values. 	CO5	PO1 PO2 PO3 PO4 PO5 PO8 PO9 PO10 PSO1 PSO2